

HAND



please mark

- assembling **internal static**
- assembling **external static**

! Each system is made to measure and cannot be returned or exchanged.



ORDER FORM

Retrying (please only mark when the fax is sent again because of an error message.)

CUSTOMER

purchaser / customer no.

phone

fax

contact person

commission

SHIPMENT ADDRESS

company

street

postal code

city

contact person

delivery date

MODE OF SHIPMENT

parcel service

forwarder

pick up

others

OFFER NO.

Please note if an offer is existed.

stamp

date

signature

pos.	quantity	system width (mm)	length (mm)	pleat distance* (mm) or: quantity velcro® tapes*		fabric -no.	pofile color			velcro® profile		inclination angle at roof pitch	systems should be mounted side by side	
							white	anthracite	alu look	white	alu look		yes	no
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

*The pleat distance is appr. 400 mm if no other informations are provided.

OPTIONAL ACCESSORIES:

operating rod (85 cm - 150 cm) pcs.

assembling angles (only if required) pcs.

wall or ceiling adapter* with magnet Sets á 2 pcs.

*Additional wall or ceiling adapter for locking at roof pitches at several positions. One set stopper with magnet is included in the sunola system.

adapter with magnet flat design (only if required, internal static) Sets á 2 pcs.


Notes:



assembling **INTERNAL STATIC** > with operating rod



MEASUREMENT FORM - Please fill in and transfer to the order form.
To determine the measurements please note the technical details.



quantity

fabric-no.

profile color

white anthracite alu look

velcro® profile col.

white alu look

inclination angle
 at roof pitch

OPTIONAL ACCESSORIES:

operating rod
 extendable
 (85 cm - 150 cm)

 pcs.

assembling
 angle
 (only if required)

 pcs.

wall adapter with magnet (5a)

(for locking the system at roof pitches at several positions -
 one set magnetic stopper is included)

 sets
 à 2 pcs.


adapter with magnet (6)

(flat design - for locking the system at roof pitches
 at several positions)


 sets
 à 2 pcs.




assembling **EXTERNAL STATIC** > with operating rod



MEASUREMENT FORM - Please fill in and transfer to the order form.
To determine the measurements please note the technical details.



quantity

fabric-no.

profile color

white anthracite alu look

velcro® profile col.

white alu look

inclination angle
at roof pitch

OPTIONAL ACCESSORIES:

operating rod
extendable
(85 cm - 150 cm)

 pcs.

magnetic ceiling adapter (5a)

(for locking the system at roof pitches at several positions - one set magnetic stopper is included)

 sets
à 2 pcs.
