









AMAZINGLY SIMPLE VELCRO® SYSTEM FOR EASY HANDLING

- → Simple operation with operating rod
- \rightarrow Assembling between the rafter possible (internal static)
- ightarrow Assembling under the rafter possible (external static)
- → For plafond and roof pitches up to max. 10°

Sunola uses innovative hook and loop technology. This means that it is not only easy to install, but also easy to clean. The fabrics can be (re)washed if necessary to keep them in perfect condition at all times.

The perfect sun protection system for indoor and outdoor areas under a complete glass surface.







FIRST-CLASS PROTECTION AND COMFORT ALL YEAR ROUND

Sunola is **extremely versatile** and suitable for **all seasons**. In summer it protects against **intense sunlight and heat**, in autumn and winter against **radiant cold**. Regardless which weather, Sunola maintains the ideal temperature and creates a pleasant, cosy atmosphere.

- Sun protection
- Protection against cold
- Claire protection
- Easy to clean
- UV-resistant and highly lightfast
- Dirt and water repellent





Technical information:

- Operating with operating rod
- Useable for terrace roof and wintergarden
- → internal static (assembling between the rafter)
- → external static (assembling under the rafter)
- Plafond roof pitches till max. 10°

Please note: A "cloud formation" of the fabric is not possible at roof pitches!

- System size:
 - → width max. 1500 mm / length max. 6000 mm
- Available colors:
- → aluminium profile: white, anthrazite, alu look further colors on request
- ightarrow alu profile with velcro ${}^{\circledR}$ tape: white, alu look, accessories in matching colors
- Used plastics are uv-resistant.

assembling between the rafter (internal static)





assembling under the rafter (external static)





Scope of delivery:

- Ready-made fabric with sewed velcro®tapes from regular distances of appr. 400 mm (the sewing thread is UV-resistant)
- Alu profile drilled (recommendation: fixing every 50 100 cm)
- Alu profile with velcro®tape
- Glider
- stopper
- stopper with magnet for locking at roof pitches

Delivery without operating rod and assembling screws.





The static requirements for the installation of a shading system must be checked by the customer in advance. The warranty does not apply to field sizes outside our size specifications. In strong wind or storm the purchaser shall be individually responsible for the adequate protection of the sunola systems.

















made of measure solutions


- LED lighting remains visible
- Partial shading is possible
- Efficient shading for rooflights
- Special solutions e.g. fixed elements
- Problem solutions e.g. for downpipes





assembling between the rafter - internal static










assembling under the rafter - external static







Do you have any questions? We will be happy to advise you!

Sunola is a brand of Nölle Kunststofftechnik GmbH

Im Schlahbruch 20 - 22 • 59872 Meschede tel. +49 291 9912 21 • fax +49 291 9912 10 E-Mail: info@sunola.de • www.sunola.de



Available in many attractive fabric qualities.













